## **INDEX**

References are to paragraph numbers unless otherwise indicated.

```
animals
                                                       procedures, D-12, D-14
  food, 7-7
                                                         ambulatory patients, D-12
  government-owned, 7-8
                                                         decontamination of entrance area, 6-3,
  protection of, 7-7, 7-8
                                                              D-11
  treatment of, 7-7
                                                         entry/exit, D-13
                                                         litter patient, D-12
                                                         prior to entry, D-12
attack, nuclear, biological, or chemical
                                                       radiation exposure, 3-3d(4)
  actions, 5-1, 5-5, 5-6, 5-7, 6-1
                                                       resupply of protected areas, D-14
  after, 5-7, 5-9, 6-1
                                                       shielding, 3-3d(2)
  before, 5-5, 6-1, 6-2
                                                       types
  detection of, 3-2d, 3-3c, 5-1c, 7-3
                                                         advanced simplified, D-1b
  during, 5-6, 5-8, 6-2
                                                         hybrid systems, 3-3d(2)
  monitoring, 3-3c, 5-1c
                                                         M20E1, D-1c
  personnel considerations during, 5-9, 6-1
                                                         M51, D-1a
  prediction for, 3-3d
                                                         overpressure, 3-3d(2)
  responsibilities, 5-8c
                                                         total system, 3-3d(2)
  survey, 3-3c
                                                         ventilated facepiece, 3-3d(2)
  treatment, 5-1d, 5-9, 5-14d, 5-15c, 6-1c, 6-4b
  treatment elements
                                                    combat stress control, 5-4b, 6-1b, 7-22
     disposition, 5-10, 5-12b, 6-1
                                                       leadership actions, 7-23
     operations, 5-10a, 5-12
                                                       preventive, 7-25
     supplies, 5-10b
                                                       reactions, 7-25c
  warning of, 3-2f, 3-3, 6-2
                                                       responsibilities, 7-24, 7-25
biological specimen
                                                    command and control, 3-1
  collection, 7-10, 7-11, 7-13, 7-15, 7-16, G-1, G-2
     antemortem, G-2a
                                                    contamination
     civilians, from, G-1
                                                       avoidance, 3-3d, 3-4, 5-1c, 5-15a, 6-2a, F-1
     environmental, G-1
                                                       control, 5-14, 6-3, D-1
     food, 7-15, F-4b
                                                       detection, 3-2d, 3-3c, 5-1c, C-2, D-10, D-11,
     postmortem and forensic, G-2b
                                                              E-3, F-1
     water, 6-1, 7-15, App E
  identification of, 6-2b(3), 7-13b
                                                    decontamination, 5-1d, 5-2, 6-3, 7-20a, C-1,
  labeling, G-2
                                                              E-4, F-1
  preservation and transportation, G-1, G-2c
                                                       aidman care during, 5-15c, C-2f(2)
                                                         bandages, C-2, C-3
casualties, 6-1
                                                         splints, C-2, C-3
  biological, 5-14
                                                         tourniquet, C-2, C-3
  chemical, 5-15
                                                       augmentation, 5-9, 5-15d, 6-1c, 6-4
  civilian, 5-2, 5-11
                                                       biological, 5-14, 6-2b(3), C-4, C-5
  nuclear, 5-12
                                                         ambulatory patients, C-6
                                                         litter patient, C-5
collective protection systems, 3-3d(2), 3-5, 5-8,
                                                       chemical, 6-3a
          5-10, 5-15, App D
                                                         ambulatory patients, C-3
  employment
                                                         litter patients, C-2
     battalion aid station, 5-1d, D-2, D-4
                                                       complicating factors, 6-4a
     division clearing station, 5-4a, D-3, D-5
                                                       dental, 5-4, 7-19
     in DEPMEDS hospital, D-6, D-7
                                                       Field Medical Card, C-2, C-3c
  operation, entry, and exit guidelines, D-10
                                                       food, 7-7, 7-9, F-2, F-3c, F-4c, F-5
  planning for, 3-1, 6-1, A-1
                                                       hasty, 3-4b(9)
```

decontamination (continued)	emergency medical treatment, 5-12a
materials needed, 5-8, 6-3, C-2	triage, 5-13
monitor for completeness, C-2	operations in extreme environments, 5-16
nuclear, 5-12a, 6-2b(2), 6-3, C-7	desert, 5-16d
ambulatory patients, C-9	jungle, 5-16c
litter patients, C-8	mountain, 5-16a
patients, $3-3d(3)$ , $5-10b$ , $5-12a$ , $5-15$ , App C,	snow and extreme cold, $5-16b$
D-9	
personal effects, C-2	evacuation, 3-1, 5-17, 6-1
personnel/equipment, 3-3d(3), 5-17, 6-1, 6-2,	aircraft, 5-17b
6-3	contaminated areas, $5-17b(4)$
solution preparation, C-1	ground vehicles, 5-17b
unit, $3-3d(3)$ , $6-3$	nonmedical vehicles, 5-17b
water, 7-3, App E	personnel, 5-17b
, ,	personner, 0-110
dental services, 5-4, 7-17, A-8	0.13141 0.4
decontamination, 7-20a, 7-20b	facilities, 3-4
mission, 7-18	clean, 3-4c
operations, 7-17, 7-18	contamination, 3-4
patient protection, 7-21	decontamination, 3-4b
treatment, 7-19, 7-20, 7-21	move, $3-4b$
treatment, 7-13, 7-20, 7-21	alternate facilities, $3-4b$
1 001.00 #1	decision to, 3-4b
detection, $3-2d$ , $3-3c$ , $5-1c$	mobility, $3-4b(6)$
	patients, $3-4b$
diseases, 1-2, 7-2	protection available, 3-4b, 5-12
	operational plan, $3-4a$
division medical supply office, 5-8b	decontamination, $3-4b(9)$
1	evacuation, $3-4b(6)$
emergency services, 6-4	facilities, alternate, 3-4b(5)
medical services, 6-5a	mobility, $3-4b(7)$
MOPP levels, 5-15, 6-5a	patients, $3-4b(4)$
surgical, $6.5a$	persistency, $3-4b(3)$
triage, 5-1d, 5-15c, 6-4b	protection, $3-4b(2)$
winge, 6 14, 6 16c, 6 16	relocation, $3-4b(1)$
	sustainability, $3-4b(8)$
enemy prisoners of war, $5-2a$	principles, $3-4a$
	principles, 5-4a
environment, 5-12	
biological, 5-14	field expedient protective systems, 5-12, 6-1,
casualties, 5-14a	B-1
chemical, 5-15	foxholes and trenches, $5-12a$ , B-3 $f$
casualties, 5-15a	protection, 5-12, 6-2, B-1, B-2
contamination, $5-15a$	factors, 6-1, B-2
emergency medical treatment, 5-15c	shielding, B-2
triage, 5-15c	shelters, expedient, 5-12, 6-1, B-3, B-4
contamination, 5-14a	dozer trenches, B-3c
passive defense measures, 5-14b	dug-in tents, $B-3d$
treatment, 5-14e	engineer support, B-3c
nuclear, 5-12	location, 5-12, B-3b
casualties, $5-12a$	sandbagging, B-3e
contamination, 5-12	tents, B-3f
	001105, <b>1</b> -0/

Field Medical Card, C-2, C-3, C-4, C-5	planning, 5-2, 5-9, 5-17, 6-1, A-1, B-3 principles, 3-4a
food, 7-7	survival, 5-1c
animal, 7-8, $\mathbf{F}$ -3 $c(4)$	treatment, $5-2a$
	57 Cabiniono, 6 2a
contamination of, 7-7, F-1, F-3, F-4, F-5	heat atrees 6 1h C 2
countermeasures, F-1b	heat stress, $6-1b$ , $C-2$
decontamination of, 7-7, 7-9, F-2c, F-3c,	
F-4c, F-5c	hospitalization, $5-2a$ , $6-1$
detection in, F-2b, F-3b, F-4b, F-5b	decontamination, 6-3, C-1, D-11
monitoring, F-2b	defensive measures, 6-2b
priorities, F-1c	emergency services, 6-4
protection of, 7-7, D-1d, F-1, F-2, F-3, F-4,	integrated battlefield, on, 6-1
F-5	locations, $6-1a$ , $6-2a$
susceptibility of, $F-1a$	mass casualties, 6-1b
	medical services, 6-5
Geneva Conventions, 6-2b	nursing services, 6-7
	planning, $5-2a$ , $5-9$ , $6-1$
guidelines	protection, $3-4b$ , $6-2a$
combat stress control, A-9	protective procedures, 6-2b(1)
dental services, A-8	biological, $6-2b(3)$
establish an MTF, A-4	chemical, $6-2b(4)$
health service logistics, A-11	MOPP levels, 3-5, 5-1, 6-1c, 6-2b(4), 7-2d
laboratory services, A-10	nuclear, $6-2b(2)$
maintenance	surgical services, 6-6
decontamination, 7-29	triage, 5-1d, 5-13, 6-1
equipment, 7-29	mage, 0 10, 0-10, 0-1
	1 = 141 = 1 = 00 = 4 =
organizational, 7-29	initial effects
mobilization, for, A-3	alternate operational sites, $3-2c(3)$
operate an MTF, A-5	attacks, detection, 3-2d
predeployment, A-2	medical intelligence, 3-2a
preventive medicine services, A-6	mitigation, 3-2c
veterinary services, A-7	organic equipment, 3-2d
	protection, $3-2c(2)$
health service logistics, 5-8, 7-26, A-11	vulnerability analysis, 3-2 <i>b</i>
supplies, shipping, 7-28	
supplies, storage, 7-27	International Standardization Agreements
	QSTAG 322, p. vi
health service support, 5-1	QSTAG 816, p. vii
appraisal, 5-2a	STANAG 2002, p. vi
Echelons I and II, 5-1, 5-3, 5-4, 5-10	STANAG 2068, p. vi
evacuation, 5-2a	STANAG 2083, p. vi
factors, medical planning, 5-2, 5-9	STANAG 2103, p. vi
first aid	STANAG 2104, p. vi
buddy aid, $5-1a$	STANAG 2112, p. vi
combat lifesaver, $5-1a$	STANAG 2398, p. vi
self-aid, $5-1a$	STANAG 2423, p. vii
NBC actions, 5-1b	STANAG 2866, p. vii, Chap 4
contamination, 5-1c, 5-14, 5-15	STANAG 2873, p. vii
integrated battlefield, 5-1d	STANAG 2879, p. vii
operations in NBC, $5-8a$	STANAG 2954, p. vii
	~

laboratory services, 7-10, A-10, App F area medical, 7-13b	medical regulating, 6-6c
biological specimens, 7-10, 7-11, 7-16, App G	medical services, 6-5
clinical, 7-13a, G-1	constraints, $6-5b$
echelons, 7-11, 7-12, 7-13	provisions of, 6-5a
samples	
biological, 7-16, App G	mission-oriented protective posture
field, 7-15	clothing, 3-2e, 3-5, 6-2, 7-8
support, 7-10	equipment, 3-2e
zone of interior, 7-14	performance degradation, 3-2e, 6-1 survival, 3-2
leadership, 3-1, 3-5, 5-1c, 7-23	,
• • • • • • • • • • • • • • • • • • • •	nuclear, biological, and chemical
logistics, 5-8	battlefield, 5-1
logistics, 0-0	combat stressors, 3-5
	leadership, 3-5, 7-23
medical aspects of NBC warfare	operational exposure guide, nuclear, 3-3d,
assessment and treatment, medical, 4-2b	5-17 <i>b</i>
biological, 4-4	operations in, 3-5
aerosol, 4-4a	planning for, 3-1, App A
contamination of food, 4-4b, 7-3, 7-7	p.cg 101, 0 1, 12pp 11
contamination of water, 4-4b, 7-3, 7-4	nursing services, 6-7
other considerations, 4-4c	feeding, 6-7d
chemical agent injuries, 4-6	medications, intravenous, 6-7e
blister, 4-6b	neurological signs, 6-7b
blood, 4-6d	nursing care, 6-7h
incapacitating, 4-6c	oral hygiene and bathing, $6-7c$
lung-damaging, 4-6e	oxygen therapy, 6-7g
nerve, 4-6a	protective gear, 6-7
combat stress control, 7-22, A-9	record keeping, 6-7i
leadership actions, 7-23	treatment procedures, 6-7f
preventive, 7-25b	vital signs, 6-7a
responsibilities, 7-24, 7-25	vitai siglis, 0-14
mass casualties, 4-2b, 4-5b, 4-7b, 6-1b	amanational .
nuclear injuries, 2-3, 2-4, 4-1, 4-3	operational
blast, 2-3a,b, 4-1b	exposure guide, nuclear, 3-3d, 5-17b
flash, 2-2a, 2-4, 4-1a	plans, 5-9
radiation, 2-5, 4-1d	
thermal, 2-3a, 2-4, 4-1c	patient decontamination, $6-1$ , $6-4b$ , $C-9$
radioactively-contaminated casualties, 4-3	
decontamination, 4-3c	patient holding, 5-4a
handling, 4-3b	
monitoring, 4-3b	planning, 3-1, 5-2, 5-9, 6-1, 7-2
treatment, 4-3d	mobilization, A-3
triage classifications, 4-2b, 5-13	predeployment, A-2
medical equipment sets	preventive medicine services
chemical agent patient decontamination,	detachments, preventive medicine, 7-4, 7-5
5-7, 5-10, C-1	entomology, $5-8c$ , $7-5$ , App E
chemical agent patient treatment, 5-7, 5-10,	environmental sanitation, $5-8c$ , $7-4$ , App E
C-1	services, 5-4, 5-8c, 7-1, 7-5

determining factors, 7-2a specimens, App G disease, 5-4b, 6-2b(3), 7-2antemortem, G-2a divisional, 7-3 biological, G-1 incidents and morbidity, 7-2b collection of, 7-10, 7-11, 7-13, 7-15, 7-16, G-1, water and food, 5-8c, 7-3G-2 environmental, 7-15, G-1 field, 7-15, G-1 protection food, 7-15, F-4b collective, 3-3, 5-1c, 6-1d, App D handling, 7-12, G-1, G-2 expedient, 5-12, 6-2 identification, 6-2b(3), 7-10, 7-14, G-1factors, 6-2a(2)postmortem and forensic, G-2b food, 7-7, App F preservation of, G-1, G-2c hospital. 6-2 transportation, 7-12, G-1, G-2c individual, 7-3 water, 5-8c, 6-1, 7-15, App E mask only, 6-2b materiel, 6-2b Standardization Agreement (STANAG). See MOPP, 3-2, 5-1, 5-4, 6-1c, 6-2b International Standardization patient, 3-2, 6-2, 6-5a, 7-21 Agreements site selection, 6-2 supplies, 5-5, 5-10b, 6-2b(4), D-1d supply, Class VIII, 5-8b, D-14 Quadripartite Standardization Agreement surgical services, 6-6 (QSTAG). See International capabilities, 1-1a Standardization Agreements limitations, 6-6a trauma cases, 6-6b reporting, 3-3, 6-2b threat, 1-1, 1-2, 1-3, 6-1, 6-2 biological warfare, 1-3b residual effects, 3-3 chemical warfare, 1-3c contamination, 3-3a(5)medical, 1-2 avoidance, 3-3d(1)nuclear, 1-3a management, 3-3d Third World, 1-1 predictions, 3-3b equipment survey, 3-3c(1)triage, 5-13, 5-15c, 6-1, 6-4b detection, 3-3c(1),(2) monitor, 3-3c(3)veterinary services, 7-6, A-7, App F management, 3-3 NBC Warning and Reporting System, 3-2d, warfare, 1-3b, 5-1 Actual Contaminated Areas Report warning, 3-2, 3-3 (NBC 5), 3-3a(5)chemical, 3-3f Chemical/Biological Attack Report, strike, 3-2f Detailed Information (NBC 6), 3-3a(6) Evaluated Data Report (NBC 2), 3-3a(2) flash precedence, 3-3a(1)water supply, 5-8c, 6-1, 7-3, App E immediate precedence, 3-3a(1)Monitoring and Survey Report (NBC 4), weapons, 2-1 3-3a(4)biological, 1-3b, 2-1, 2-6, 2-7, 2-9, 1-2b Observer's Initial Report (NBC 1), 3-3a(1) agents, 2-6, 2-7 Warning, Predicted Contamination behavior, 2-7 Report (NBC 3), 3-3a(3)characteristics, 2-7

weapons,	nerve, 2-10 <i>a</i>
biological (continued)	categories, 2-9 <i>b</i>
dispersion, 2-7	nonpersistent, $2-9b(2)$
effects, 2-6, $3-2c$	persistent, $2-9b(1)$
incubation period, 2-6	protection against, 3-2
infection, 2-6	nuclear, 2-1, 2-2, 2-7
life cycles, 2-6	biological effects, 2-4
live agents, $2-6a$	blast, $2-2c$
toxins, $2-6b$	burns, 2-4
traits, 2-6, 2-7	direct blast injury, $2-3a$
characteristics, 2-2, 2-5	eye injuries, $2-4c$
chemical, 1-3, 2-8	flash blindness, $2-4c$
agents, 2-10	indirect blast injury, 2-3b
attacks types of, 5-5	physical effects, 2-2
behavior, 2-9	physiological effects, 2-3, 2-5
blister, 2-10b	radiation injury, $2-2a$ , $2-5$
blood, 2-10 <i>d</i>	thermal injury, $2-2a$ , $2-3a$ , $2-4c$ , $4-1c$
characteristics, 2-10	translational injuries, 2-3b(5)
incapacitating, 2-10e	threat, 1-1, 1-2, 1-3a, 6-1