

BATTLETECH

EXPERIMENTAL™
TECHNICAL
READOUT:

X

T

R

O

PRIMITIVES
VOL. 2

INTRODUCTION

INCOMING
MESSAGE

SEND

SAVE

CANCEL

DELETE

With the discovery of the New Dallas memory core and the expanded opening of Clan historical archives, interest in the history of the so-called Age of War and the early Star League era has exploded, especially among the “average” Inner Spheroid. Some are undoubtedly looking to find solace in tales of how their long-past forebears coped with the ongoing violence and devastation of the era while others are simply looking for answers on how such terrible inhumanity could strike over and over again, how to stop the terrible cycle of violence once and for all. Many, of course, are simply interested in the history of Mankind, taking advantage of the many new resources suddenly opened to them.

No matter your reasons, we hope that this treatise will help provide you some historical perspective upon the Age of War, that little-understood era which led directly to Mankind’s greatest of achievements: the Star League. In some ways, this work could be considered a technical readouts of *firsts*—the *BattleAxe*, *Gladiator* and *Icarus* were the very first BattleMechs produced by the Federated Suns, Draconis Combine and Free Worlds League, respectively, while the *Wasp* was the very first ‘Mech that could jump. The *Banshee* and the *Crossbow*, meanwhile, were the first ‘Mechs produced by their manufacturers. And the LTV-4 Hovertank was, near as our research could determine, the one design that seemingly revolutionized the state of the art and ushered in the “modern” technological era of the twenty-fifth century.

Meanwhile, this work continues to unravel the “truth” of the state of technology during the Age of War. While we have known for some time now that many of the so-called “facts” presented by ComStar in their popular Technical Readouts were simply suppositions crossed with well-regarded legends and at least a few manufactured “truths” about the almost-mythical Terran Hegemony. For example, many military historians have long assumed that aerospace and naval construction technology had somehow advanced faster than land-based vehicles, a “fact” we now aim to correct with the inclusion of the *Black Eagle* DropShip and the *Ares* Mk. I Landing Craft.

This *Experimental Technical Readout: Primitives* is certainly not the final or most definitive work on military technology of the era. No doubt, as historians continue to delve into the new sources open to them, we will see more and more publications such as this. Taken as a whole, they will give you a better, if not complete, picture of the advancing state of the art in the final decades of the Age of War and leading into the formation of the Star League.

—Dr. Saga Brest, 19 June 3079

HOW TO USE THIS BOOK

The ‘Mechs, combat vehicles, and fighters described in *Experimental Technical Readout: Primitives, Volume 2* provide players with a sampling of designs from the period of time covered by the Age of War and the rise of the First Star League. While the focus of the designs featured in this book is historical, many of the designs have modern counterparts detailed in other Technical Readouts.

The rules for using ‘Mechs, vehicles and fighters in BattleTech game play can be found in *Total Warfare*, while the rules for their construction can be found in *TechManual*. However, the primitive nature of these designs also utilized the RetroTech construction rules found in *Jihad Secrets: The Blake Documents*, supplemented by the Experimental-level rules presented in *Tactical Operations*.

Special additions to the Primitive construction rules have also been introduced in this book. For reference, a special *Additional Game Rules* section follows the design specs provided in these pages.

Developer’s Addendum

Astute readers may notice that several of the designs that will appear in this and other volumes of the *XTR: Primitives* mini-series have appeared in previous *Record Sheets* books such as *Record Sheets: 3075*. This redundancy is intentional, both as a means of correcting minor errors in the original Primitive units’ stats (where conflict arises, the *Primitives XTRs* supersede) and as a means of providing a clearer and more focused treatment of the primitive machines that were contemporaries during the Age of War.

INTRODUCTION

INCOMING
MESSAGE

SEND

SAVE

CANCEL

DELETE

CREDITS

Project Development

Herbert A. Beas II

Development Assistance

Randall N. Bills

Jason Schmetzer

BattleTech Line Developer

Herbert A. Beas II

Assistant Line Developer

Ben H. Rome

Primary Writing

Christoffer "Bones" Trossen

Art Direction

Brent Evans

Production Staff

Cover Design and Layout

Ray Arrastia

Illustrations

Doug Chaffee

Chris Lewis

Duane Loose

Slawomir Maniak

Justin Nelson

Record Sheets

Joel Bancroft-Connors

"BV Smasha!" Sebastian Brocks

Christopher "Chunga" Smith

"Techno Wizard" Jason Tighe

BattleTech Logo Design

Shane Hartley, Steve Walker

and Matt Heerd

Factchecking/Playtesting: Joel Bancroft-Connors, Joshua "NCKestrel" Franklin, William "Mad Capellan" Gauthier, Keith "Xotl" Hann, Johannes "jymset" Heidler, Daniel "DarkISI" Isberner, Chris "Alexander Knight" Marti, Luke "Jellico" Robertson, Chris "Chunga" Smith, Peter Smith, Chris Wheeler, Patrick Wynne.

Dedicated to: My Historicals cohort Chris Hartford, along with Herb and Randall—had we not written *Historical: Reunification War*, I probably wouldn't have wrapped my head around the pre-history of the BattleMech as much as I did, leading me directly into finishing off this series of XTROs.



Under License From



©2012 The Topps Company, Inc. All Rights Reserved. Experimental Technical Readout: Primitives Volume 2, Classic BattleTech, BattleTech, BattleMech, 'Mech and the Topps logo are registered trademarks and/or trademarks of The Topps Company, Inc., in the United States and/or other countries. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC.

CAT35XT002

STAR LEAGUE ERA



SUCCESSION WARS ERA

CLAN INVASION ERA



CIVIL WAR ERA

JIHAD ERA



DARK AGE ERA



WSP-1 WASP

Field Testing Summation: Original *Wasp* Primitive Chassis

Producer/Site: General Mechanics, Inc., Mars

Supervising Engineer: Soren Iishi

Prototype Introduction Date: 2464

Non-Production Equipment Analysis:

Primitive Armor
Primitive Cockpit
Primitive Engine
Prototype Jump Jets

Overview

The mid-twenty-fifth century BattleMech was the undeniable king of the battlefield, but was a lumbering beast compared to the tanks it had supplanted. Conventional vehicles were still needed as scouts and flankers, a paradigm Terran Hegemony generals were more than willing to accept, at least until they learned that the Lyran Commonwealth was pursuing its own home-grown BattleMech, one designed from the ground up as a scout.

When the Hegemony Armed Forces released its requirements for a "highly mobile fast reconnaissance BattleMech", General Mechanics, Incorporated jumped at the opportunity. The company was one of the primary subcontractors involved in the design and production of both the *Mackie* and the *Banshee* and was looking to expand its operations and profile. General Mechanics gave Dr. Soren Iishi the mandate to win that contract.

The company spared no expense in supporting Soren, who recruited an expansive talent pool and built an advanced research department, known as "The Hive", dedicated to the project. The design of a fast BattleMech was no problem for Soren's engineers, who had baseline plans and models ready for approval within weeks. Their challenge, however, was in realizing Dr. Soren's vision—a 'Mech that could fly, giving it truly unsurpassed mobility and survivability.

The Hive's combined brainpower and resources were ultimately unable to quite reach that lofty goal (indeed, the state of the art would require more than two centuries of advancement to replicate Dr. Soren's vision in the form of the Land-Air 'Mech), but they came close—in doing so also indelibly leaving their own mark upon the very nature of the BattleMech. When WSP-1X-02 first appeared during its preliminary trials, landing in front of the HAF High Command after jetting over the top of its hangar, the competition was over. General Mechanics' *Wasp* had won.

Not, of course, that development of the *Wasp* was complete. "Jumping" the twenty-ton machine was a dangerous prospect that often left the *Wasp* a mangled wreck and its pilot traumatized. The 'Mech's gyroscope could not maintain stability through the maneuver, requiring absolute concentration and deft reflexes from its pilot to land safely. It would be almost a decade—and hundreds of damaged HAF *Wasps* and injured MechWarriors—before The Hive's engineers solved the jump "problem". The company went on to construct countless thousands of *Wasps* for the Hegemony and Star League, making it one of the most iconic of 'Mechs in existence.

Type: **Wasp**

Technology Base: Inner Sphere (Primitive)

Tonnage: 20


Equipment

		Mass
Internal Structure:		2
Engine:	120 Primitive	4
Walking MP:	5	
Running MP:	8	
Jumping MP:	5	
Heat Sinks:	10	0
Gyro:		2
Cockpit (Primitive):		5
Armor Factor (Primitive):	37	3.5
	Internal Structure	Armor Value
Head	3	4
Center Torso	6	6
Center Torso (rear)		3
R/L Torso	5	4
R/L Torso (rear)		2
R/L Arm	3	3
R/L Leg	4	3

Weapons and Ammo

	Location	Critical	Tonnage
Medium Laser	RA	1	1
Jump Jet	RT	1	.5
Jump Jet	LT	1	.5
Jump Jet	CT	1	.5
Jump Jet	RL	1	.5
Jump Jet	LL	1	.5

Notes: Features the following Design Quirks: Weak Legs, Hard to Pilot



EXPERIMENTAL

ICR-1X ICARUS

Field Testing Summation: Original *Icarus* Primitive Chassis

Producer/Site: Corean Enterprises, Stewart

Supervising Engineer: Abraham Chiu

Prototype Introduction Date: 2470

Non-Production Equipment Analysis:

Primitive Armor
Primitive Cockpit
Primitive Engine

Overview

The Free Worlds League's "acquisition" of the BattleMech in 2462 brought a tremendous technological leap to the relative handful of premier military manufacturers the League government entrusted with those secrets. The first goal was, of course, to replicate the *Mackie* and bring it into service within the League's military as quickly as possible. A close, but unspoken, second was the debut of the League's first native 'Mech design.

Corean Enterprises was intent on winning that competition, tasking two separate development teams with designing the new "standard" for the FWLM. The *Icarus*, a mid-weight design meant to support both heavy *Mackie* lances as well as conventional armor and infantry formations alike, was the first to reach prototype status. The FWLM was impressed by Corean's speed in delivering an operational prototype, and likewise showed significant enthusiasm at the design—especially as the *Icarus* mounted a large laser on a frame less than half the *Mackie*'s mass, allowing more 'Mechs to be carried on military transports. Unfortunately, the rushed nature of the project led to a long series of problems and delays that ultimately doomed the design. While the *Icarus* design team worked furiously to correct the 'Mech's numerous design flaws, Corean's other design team unveiled their own 'Mech prototype—the *Hector*—a year after the first *Icarus* walked out of the lab. Utilizing lessons learned from the *Icarus*' numerous problems, the *Hector* team presented the FWLM an operational BattleMech that was quickly accepted for production.

Corean Enterprises naturally shifted the bulk of its resources towards the *Hector*, though a handful of the *Icarus* team members remained on project, fixing the design flaws and upgrading the six prototype models with refinements made possible by the *Hector*'s development. Four of the six *Icarus* prototypes saw limited, but favorable, service with the FWLM during the Age of War, which provided Corean engineers enough data and support to keep the *Icarus* project alive as a research and advanced technology demonstration testbed. The *Icarus* prototypes served Corean Enterprises well for years, ultimately prompting the company to revisit the design in the twenty-sixth century as the much-upgraded *Icarus II*.

Type: Icarus


Technology Base: Inner Sphere (Primitive)

Tonnage: 40

Equipment	Mass	
Internal Structure		4
Engine:	195 Primitive	8
Walking MP:	4	
Running MP:	6	
Jumping MP:	0	
Heat Sinks:	10	0
Gyro:		2
Cockpit (Primitive):		5
Armor Factor (Primitive):	112	10.5
	Internal Structure	Armor Value
Head	3	9
Center Torso	12	15
Center Torso (rear)		4
R/L Torso	10	13
R/L Torso (rear)		4
R/L Arm	6	9
R/L Leg	10	16

Weapons and Ammo	Location	Critical	Tonnage
2 Machine Guns	RA	2	1
Ammo (MG) 200	RT	1	1
2 SRM 2	LT	2	2
Ammo (SRM) 50	LT	1	1
Large Laser	LA	2	5
Small Laser	LA	1	.5

Notes: Features the following Design Quirks: Prototype, Poor Performance, Difficult to Maintain, Obsolete/2470, Extended Torso Twist



EXPERIMENTAL

GLD-1R GLADIATOR

Field Testing Summation: Original *Gladiator* Primitive Chassis

Producer/Site: New Samarkand Armor Works, New Samarkand

Supervising Engineer: Mikimoto Hibiki

Prototype Introduction Date: 2468

Non-Production Equipment Analysis:

Primitive Armor

Primitive Cockpit

Primitive Engine

Overview

The Draconis Combine's 2461 raid on Coventry may have netted the technical specifications needed to construct the BattleMech, but that was just one—albeit critical—piece in the massive puzzle that the Combine needed to solve in order to enter the BattleMech era. The Dragon attempted to steal and purchase what it could, but nonetheless relied heavily upon the skill and ingenuity of its own engineers and technicians to solve many of the problems inherent in the fielding of a brand-new technology.

Coordinator Kozo Von Rohrs set up New Samarkand Armor Works specifically to oversee the design and production of the Combine's first BattleMech. It took the Combine's best and brightest minds seven full years to build the *Gladiator*, which Von Rohrs immediately accepted into service despite numerous mechanical and technical problems with the 'Mech (problems that could cause the *Gladiator* to suddenly topple over or which prompted its electronic systems to spontaneously restart, crippling the 'Mech for a minute or longer).

Despite these problems, New Samarkand Armor Works pushed a steady stream of *Gladiators* off of its production lines as fast as it could, sending techs and "upgrade kits" into the field to solve the "minor technical difficulties" as soon as work-arounds and fixes could be made. Not every 'Mech-equipped unit received those on a timely basis however, which was the excuse given by the elite Second Sword of Light when the regiment failed to secure Nox in 2475—despite having accepted delivery of a full complement of refit kits two months before the Nox invasion.

Following the Nox invasion, the *Gladiator* design fell out of favor with Coordinator Von Rohrs and the Combine's military. While the 'Mech was well armed and well armored, it could not stand against the Terran Hegemony's massive behemoths like the *Mackie* or the *Banshee*, and its MechWarriors did not yet possess the skill to stand toe-to-toe with their more experienced Davion or Steiner counterparts. New Samarkand Armor Works officially ceased production of the *Gladiator* in 2488 after the *Von Rohrs* was accepted as the Combine's new standard BattleMech over the high-tech GLD-2R *Gladiator* offering. The *Gladiator* lingered briefly in the Combine's second line and militia services before becoming extinct, but thanks to salvaged models and second-hand markets, the -1R survived within militaries across the Inner Sphere and Periphery for many decades longer, finally reaching virtual extinction following the Reunification War.

Type: **Gladiator**

Technology Base: Inner Sphere (Primitive)

Tonnage: 55

Equipment

Internal Structure:

Engine: 265 Primitive

Walking MP: 4

Running MP: 6

Jumping MP: 0

Heat Sinks: 14

Gyro:

Cockpit (Primitive):

Armor Factor (Primitive): 176

Internal
Structure

Head 3

Center Torso 18

Center Torso (rear) 9

R/L Torso 13

R/L Torso (rear) 6

R/L Arm 9

R/L Leg 13

Armor
Value

Mass

5.5

14

4

3

5

16.5

Weapons and Ammo

Location

Critical

Tonnage

Large Laser RA

2


5

2 Medium Lasers LA

2

2

Notes: Features the following Design Quirks: Bad Reputation, Poor Sealing, Poor Workmanship, Unbalanced, Obsolete/2488, Cowl



EXPERIMENTAL

CRS-X CROSSBOW

Field Testing Summation: Original *Crossbow* Primitive Chassis

Producer/Site: Arcturan Arms, Arcturus

Supervising Engineer: Durna Godel Kann

Prototype Introduction Date: 2468

Non-Production Equipment Analysis:

Primitive Armor
Primitive Cockpit
Primitive Engine

Overview

While the Coventry Defense Conglomerate experienced year after year of record profits thanks to their contracts with the Lyran government to produce both the *Mackie* and the *Commando*, dozens of other military contractors lined up to win their own pieces of the massive military spending pie. Arcturan Arms positioned itself as a viable contender with the CRS-X *Crossbow*.

As originally envisioned, the *Crossbow* was a fast cavalry BattleMech capable of delivering heavy ranged missile fire upon opponents before engaging at mid- and close-ranges with directed energy weapons. To provide the maximum possible firing arcs, the primary weapons systems—paired five-tube long range missile launchers and a medium-class laser—were mounted in each arm, while the heavy laser was mounted within the torso, where the 'Mech's cooling system could best dissipate its waste heat buildup.

In reality, the *Crossbow* failed to live up to the designers' expectations. Barrages of a mere twenty missiles, less than half of which could regularly hit their target, were unable to deliver significant enough ranged damage, while the 'Mech's cooling system was unable to keep up with a constant fusillade of laser fire. Moreover, penetrating fire against an arm-mounted pod was likely to knock all of that pod's weapons off-line—or worse, cause a catastrophic ammunition explosion.

Less than a dozen prototype *Crossbows* were constructed before the Lyran government rejected the 'Mech, but Arcturan Arms' efforts did convince the government to award the company a supplemental contract that allowed them to produce *Banshees* for the Lyran military. This gave them the expertise needed to eventually upgrade the *Crossbow* to a faster 'Mech with a better-ranged and harder-hitting PPC instead of the heavy laser. This, combined with a changed political climate, won Arcturan Arms a long-term contract to build the CRS-6B *Crossbow* in 2485.

Arcturan Arms found itself quickly over-extended however, thanks to widespread labor disputes and the planetary recession that followed with the relocation of the Lyran capital from Arcturus. Instead of the hundred *Crossbows* planned for production in the first year, followed by hundreds more in the following years, just twenty left Arcturan's plant in the first year, followed by forty the next year. The Lyran government cancelled the *Crossbow* order in 2490 after just 337 had been built.

Type: **Crossbow**

Technology Base: Inner Sphere (Primitive)

Tonnage: 60

Equipment

Internal Structure:
Engine: 290 Primitive
Walking MP: 4
Running MP: 6
Jumping MP: 0
Heat Sinks: 10
Gyro:
Cockpit (Primitive):
Armor Factor (Primitive): 123
11.5

Mass


6
17.5

0
3
5

	Internal Structure	Armor Value
Head	3	8
Center Torso	20	16
Center Torso (rear)		7
R/L Torso	14	14
R/L Torso (rear)		5
R/L Arm	10	12
R/L Leg	14	15

Weapons and Ammo	Location	Critical	Tonnage
2 LRM 5	RA	2	4
Ammo (LRM) 24	RA	1	1
Medium Laser	RA	1	1
Large Laser	RT	2	5
2 LRM 5	LA	2	4
Ammo (LRM) 24	LA	1	1
Medium Laser	LA	1	1

Notes: Features the following Design Quirks: Prototype, Poor Targeting/Long Range, Poor Cooling Jacket (Large Laser), Obsolete/2490



EXPERIMENTAL

BKX-1X BATTLEAXE

Field Testing Summation: Original *BattleAxe* Primitive Chassis

Producer/Site: Achernar BattleMechs, New Avalon

Supervising Engineer: Urgham St. Croix

Prototype Introduction Date: 2459

Non-Production Equipment Analysis:

Primitive Armor

Primitive Cockpit

Primitive Engine

Overview

Within months of receiving the first technical documentation on the design and manufacture of the BattleMech from the Lyran Commonwealth, the Federated Suns was already building components that would later be assembled into finished *Mackies*. That of course was merely the first step in becoming a true BattleMech power. Work on the *BattleAxe*, the Federated Suns' first native BattleMech design and the next technological step, began shortly thereafter.

With the *BattleAxe*, the combined Achernar and AFFS design team settled upon a paired primary weapon scheme. The *Mackie*'s medium autocannon was deemed too weak a weapon, while its PPC was both expensive and difficult to manufacture. They settled upon a pairing of Bright Star Heavy Lasers, one mounted in each arm. The designers also included a series of secondary weapons, allowing *BattleAxe* pilots to effectively engage a variety of targets—from infantry to armor to other 'Mechs—at all ranges. Moreover, this first *BattleAxe* possessed sufficient heat dissipation capacity to selectively fire either the two primary lasers or one supported by the remaining secondary weapons.

The Federated Suns' *BattleAxe* performed well in the earliest years of BattleMech warfare, but suffered the same primary complaints as did the *Mackie*—namely that it was a lumbering beast. Unfortunately there was little the team could do without dramatically altering the design, at least until they learned of the Terran Hegemony's first jumping 'Mech, the *Wasp*. Four years later, the jump-capable *BattleAxe-4X* debuted; though unstable and hard to control during jumps, it was a welcome upgrade, albeit at a cost of heat capacity. Three more models followed in fairly rapid order: the first a year later which finally replaced the two heavy lasers with PPCs, the second six years after that which resulted in a complete re-engineering of the 'Mech to increase its speed and jump capacity by a third, and the final coming in 2478 to make the 'Mech a completely stable jumping platform.

These continual upgrades kept the *BattleAxe* in continuous production for decades longer, while older models that could not be easily upgraded were sold or transferred to reserve and militia units. The 'Mech served well throughout the Reunification War, but by war's end was quickly supplanted by newer 'Mechs like the *Hammerhands* and the later *Warhammer*.

Type: **BattleAxe**


Technology Base: Inner Sphere (Primitive)

Tonnage: 70

Equipment	Mass	
Internal Structure:		7
Engine:	255 Primitive	13
Walking MP:	3	
Running MP:	5	
Jumping MP:	0	
Heat Sinks:	18	8
Gyro:		3
Cockpit (Primitive):		5
Armor Factor (Primitive):	144	13.5
	Internal Structure	Armor Value
Head	3	9
Center Torso	22	20
Center Torso (rear)		7
R/L Torso	15	18
R/L Torso (rear)		6
R/L Arm	11	14
R/L Leg	15	16

Weapons and Ammo	Location	Critical	Tonnage
Large Laser	RA	2	5
LRM 5	RT	1	2
SRM 6	RT	2	3
Ammo (SRM) 15	RT	1	1
Machine Gun	H	1	.5
Machine Gun	CT	1	.5
LRM 5	LT	1	2
Ammo (LRM) 24	LT	1	1
Ammo (MG) 100	LT	1	.5
Large Laser	LA	2	5

Notes: Features the following Design Quirks: Prototype, Poor Performance, Hard to Pilot



EXPERIMENTAL

BNC-1E BANSHEE

Field Testing Summation: Original *Banshee* Primitive Chassis

Producer/Site: Hegemony Weapons Research, New Earth

Supervising Engineer: Irina Bendakov

Prototype Introduction Date: 2445

Non-Production Equipment Analysis:

Primitive Armor
Primitive Cockpit
Primitive Engine
Prototype PPC

Overview

After the *Mackie* was accepted into service, many of the contractors involved in the design and development of the *Mackie* began working on design proposals of their own. Hegemony Weapons Research of New Earth won the second follow-on 'Mech design competition with their close assault *Banshee* (having lost to Martinson Armaments' *Kyudo* a few years earlier). Five tons lighter than the *Mackie*, and with a similar primary weapons load-out—a PPC and a medium autocannon—the hardy and easily maintained *Banshee* boasted heavier armor protection as well as several lasers to provide a better close-ranged damage profile than the *Mackie*. Just as significantly, the *Banshee* was a true anthropomorphic design, featuring fully articulated arms with hands—an important consideration as Hegemony MechWarriors were already employing physical attacks, including “punches” that more often than not left their heavy arm-mounted weapons seriously damaged. What impressed the Hegemony government most, however, was the speed that the company could produce the *Banshee* coupled with a significantly lower cost per unit than the *Mackie*.

The appearance of an HAF *Banshee*, with its signature death's head, was often enough to cause panic in opposing MechWarriors in the early years of 'Mech combat, but the *Banshee*'s reputation ultimately faded as more capable designs took to the battlefield. Three decades after its introduction, Hegemony Weapons Research debuted the BNC-3E, an upgrade that significantly increased the *Banshee*'s top speed, though at a cost of most of its close-range firepower.

The HAF immediately accepted this model, which soon became the standard with over 5,000 units produced over a ten-year span (not counting the countless more converted from -1E models). The *Banshee*'s heyday was already over however; it was undergunned when compared to other assault 'Mech counterparts and never regained popularity with HAF MechWarriors. By the beginning of the twenty-sixth century, the *Banshee* had long been removed from the HAF's frontlines, though it (and its clones, by way of salvage and corporate espionage) remained in varying levels of service with the five Great Houses throughout the Star League era, and even into the Succession Wars.

Type: **Banshee**


Technology Base: Inner Sphere (Primitive)

Tonnage: 95

Equipment	Mass	
Internal Structure:		9.5
Engine:	345 Primitive	28.5
Walking MP:	3	
Running MP:	5	
Jumping MP:	0	
Heat Sinks:	16	6
Gyro:		4
Cockpit (Primitive):		5
Armor Factor (Primitive):	240	22.5
	Internal Structure	Armor Value
Head3	9	
Center Torso	30	40
Center Torso (rear)		17
R/L Torso	20	30
R/L Torso (rear)		10
R/L Arm	16	21
R/L Leg	20	26

Weapons and Ammo	Location	Critical	Tonnage
PPC	RT	3	7
Small Laser	H	1	.5
2 Medium Lasers	CT	2	2
AC/5	LT	4	8
Ammo (AC) 40	LT	2	2

Notes: Features the following Design Quirks: Bad Reputation, Easy to Maintain, Distracting



EXPERIMENTAL

STRIKE FALCON ATTACK VTOL

Field Testing Summation: Common Primitive Attack VTOL

Producer/Site: Grand Union Battle Works, Tikonov

Supervising Engineer: P.L. Tupolev

Prototype Introduction Date: 2371

Non-Production Equipment Analysis:


Primitive Combat Vehicle

Overview

The helicopter has been an integral feature on the battlefield since the late twentieth century. Though many tried during the following centuries to replace this intrinsically fragile combat unit, it remained just as vital a player during the Age of War as it did in the twentieth and twenty-first centuries. Some were configured to carry cargo or passengers, while others were dedicated gunships that carried a powerful arsenal of guns and missiles. A few, like the Strike Falcon, were designed to do both.

When the Capellan Confederation formed in 2367, it subsumed a number of smaller powers, each which lent its own strengths to the new nation. In the case of the Tikonov Grand Union, it provided the Confederation a strong industrial base and powerful military. Tikonov's primary attack helicopter, the OT-22 Bird of Prey, was showing its age and due to be replaced. Four years after the Confederation was born, the Strike Falcon Attack VTOL debuted. Designed to carry a strong infantry force into battle and then support them, the Strike Falcon was built around a large transport bay that could comfortably carry one heavily armed platoon (or two light platoons in cramped conditions). Its wings carried its primary weaponry—an SRM 4 on each—but despite their stubby appearance also provided significant aerodynamic lift in forward flight, which gave the vehicle an operational range of well over 1,500 kilometers. The Strike Falcon also carried three machine guns, one mounted side-by-side with a sensor suite in the chin and one each on the helicopter's flanks, for anti-infantry support.

When the Strike Falcon debuted, it was hailed by its operators and feared by its opponents. Both relatively speedy and well-armored in its heyday, few opponents could hope to take one down with a single shot—which led many other powers to copy the design, with varying levels of success. Like any high-tech marvel, however, the Strike Falcon was eventually superseded by lighter, faster and better armored designs; by the end of the Age of War, the only Strike Falcons still flying were those stripped of weapons and sold to civilian operators.



Type: **Strike Falcon**

Technology Base: Inner Sphere

Movement Type: VTOL (Medium)

Equipment Rating: D/C-X-X/E

Mass: 30 tons

Equipment

Equipment		Mass	
Chassis:		7.5	
Engine/Controls:		6	
Type	ICE		
Cruise MP:	7		
Flank MP:	11		
Heat Sinks:	0	0	
Fuel:	1,666 km	1	
Turret:		0	
Armor Factor (BAR 7):	33	1.5	
	Internal Structure	Armor Value	
Front:	3	10	
R/L Side:	3/3	8/8	
Rear:	3	5	
Rotor:	2	2	

Weapons and Ammo

Weapons and Ammo	Location	Tonnage
2 SRM 4	Front	4
Machine Gun	Front	.5
Machine Gun	Right	.5
Machine Gun	Left	.5
Ammo (SRM) 25	Body	1
Ammo (MG) 100	Body	.5
Advanced Fire Control	Body	1

Crew: 5 (1 officer, 2 enlisted/non-rated, 2 gunners)

Cargo:

6 tons infantry

3 Doors (Right, Left, Rear)

Notes: Features the following Design Quirks: Easy to Pilot, Obsolete/2510

RANDOLPH SUPPORT VEHICLE

Field Testing Summation: Common Primitive Tracked Vehicle

Producer/Site: Various

Supervising Engineer: Unknown

Prototype Introduction Date: Circa 2300

Non-Production Equipment Analysis:

Primitive Combat Vehicle

Overview

Every military, paramilitary and "private military contract" (or mercenary) organization is filled with many time more support personnel and vehicles than those assigned strictly to combat operations, many times at a five-to-one—or even greater—ratio. These support units keep the combat forces supplied, paid, fed and maintained, among other services. Though classified as non-combatants, their assignments often take these support troops directly into the thick of the fighting, or at least to its just-slightly-less-dangerous periphery. To better protect them in their tasks, they are commonly provided lightly armed and armored vehicles capable of traversing a wide variety of terrain.

The Randolph is just one of those armored support vehicles manufactured for military and private concerns, common upon the battlefields and line of communications controlled by every power throughout the Age of War and Reunification War. It relied upon both oversized self-sealing tires for outstanding maneuverability as well as wide tracks for superior traction. The vehicle carried relatively heavy armor all around that provided exceptional protection to its crew and cargo, and also featured three universal mounts that could fit any large-caliber machine guns the user chose.

Additionally, it boasted a large interior cargo bed and a standard trailer coupler. The Randolph could carry more than forty tons of cargo itself, or if the cargo was too large to fit inside the vehicle, it could pull a trailer—be it a common wheeled trailer or a sled—or even a disabled vehicle.

Given its versatility, the Randolph, along with other vehicles like it, were purchased en masse by militaries, governments and private concerns across the Inner Sphere, assigning them to both support and combat units alike. Though typically assigned to priority missions where personnel and valuable cargoes had to traverse dangerous regions, Randolphs were also often used to haul field artillery pieces, mobile repair gantries, or even converted into ambulances or command posts.

Type: **Randolph**

Technology Base: Inner Sphere

Movement Type: Tracked (Medium)

Equipment Rating: D/B-X-X/E

Mass: 35 tons

Equipment

	Mass	
Chassis:	6.5	
Engine/Controls:	14	
Type	ICE	
Cruise MP:	4	
Flank MP:	6	
Heat Sinks:	0	0
Fuel:	714 km	1
Turret:		0
Armor Factor (BAR 5):	62	2
	Internal Structure	Armor Value
Front:	4	16
R/L Side:	4/4	16/16
Rear:	4	14

Weapons and Ammo


	Location	Tonnage
Machine Gun	Front	.5
Machine Gun	Right	.5
Machine Gun	Left	.5
Ammo (MG) 100	Body	.5
Basic Fire Control	Body	.5

Crew: 2 (1 enlisted/non-rated, 1 gunner)

Cargo:

9 tons 1 Door (Rear)

Notes: Features Tractor Chassis Modification. Features the following Design Quirks: Easy to Maintain, Modular Weapons, Obsolete/2500



LTV-4 HOVER TANK

Field Testing Summation: Common Hovertank

Producer/Site: Lucas Technologies, Outreach

Supervising Engineer: Harrison Lucas

Prototype Introduction Date: 2464

Non-Production Equipment Analysis:

Prototype Standard-Grade Armor

Overview

Lucas Technologies proposed its series of fast hovertanks to the HAF in 2458 in response to the proliferation of BattleMech technology as well as evolving HAF doctrine that indicated formations of fast, maneuverable tanks could be used to effectively swarm a 'Mech force and hold it in place until 'Mechs or heavy armor could be brought to bear. The HAF didn't bite, however; the LTV-2 hovertank, while fast, utilized armor that was easily penetrated by most modern weapons, making the vehicle very fragile indeed. Its primary weapon, a heavy laser, made it popular with some smaller buyers though, which kept the hovertank line open into the next decade.

Meanwhile, Lucas Technologies bought out several smaller firms in an effort to expand its operations, in the process acquiring one that had developed a revolutionary process for manufacturing heat and EM shielding for consumer products. Recognizing the incredible value of this process, Lucas Technologies' CEO and President Harrison Lucas himself took charge of the hovertank design team and within a year debuted the LTV-4—a tank with superior armor lighter than any currently utilized, incredible maneuverability thanks to a smaller but more powerful engine, and which mounted the mighty particle cannon alongside a four-tube missile launcher.

While it took the HAF two more years of testing before they accepted the tank for mass production, Lucas made billions by refining the new armor and shielding alloys he had developed—instantly revolutionizing the production of military-grade armor as well as other subsystems, licensing this technology to dozens of other Hegemony contractors. Within two years, he was listed among the twenty richest Hegemony citizens, and by the end of the decade Lucas Technologies had merged with General Mechanics, forming the arguably largest and most important military contractor in the Terran Hegemony—and further boosting Lucas' own personal wealth.

These developments may have been Harrison Lucas' most enduring legacy, followed by the LTV series of military-grade fusion engines designed during the same era, but the LTV-4 Hovertank is without a doubt a close third. Lucas Arms and General Mechanics produced tens of thousands of these simple, cheap and powerful tanks for both the HAF and later the SLDF, while production was later licensed within each of the Star League Member-States, who kept what is now commonly known simply as the "Hover Tank" in service throughout the Succession Wars.

Type: **Hover Tank**

Technology Base: Inner Sphere


Tonnage: 50

Equipment	Mass	
Internal Structure		5
Engine:	115	10
Type:	ICE	
Cruise MP:	7	
Flank MP:	11	
Heat Sinks:	10	10
Control Equipment:		2.5
Lift Equipment:		5
Power Amplifier:		1
Turret:		1
Armor Factor:	88	5.5
	Armor Value	
Front	24	
R/L Side	16/16	
Rear	16	
Turret	16	

Weapons and Ammo

	Location	Tonnage
PPC	Turret	7
SRM 4	Turret	2
Ammo (SRM) 25	Body	1

Notes: Features the following Design Quirks: Easy to Maintain, Low Profile, Obsolete/2700



EXPERIMENTAL

LRM/SRM/AC CARRIER

Field Testing Summation: Common Armored Combat Vehicles

Producer/Site: Various

Supervising Engineer: Unknown

Prototype Introduction Date: Circa 2440

Non-Production Equipment Analysis:

Primitive Combat Vehicle

Overview

The concept of the "weapons carrier" was not new to the armies of the Inner Sphere during the Age of War. After all, armored war machines had been used since the era of the ancient Greeks and Romans millennia before. While the "tank"—a heavily armored vehicle that carried one or more heavy weapons in a turret—certainly became the most iconic of combat vehicle since the onset of the twentieth century's World Wars, a whole host of different types and configurations debuted over the course of the next three centuries.

The utter simplicity and utility of the "weapons carrier" concept is hard to ignore, and has been employed throughout the modern era by both high-tech and low-tech combatants. The first such vehicles were known as "tank destroyers" and typically mounted a single heavy-caliber weapon designed to penetrate the armor of even the most powerful tank. Others evolved from simplistic artillery vehicles that were little more than a mass of rockets mounted on the back of a truck. Those simple concepts advanced only with the introduction of new technologies in the twenty-fourth century, followed by better fire control systems in the twenty-fifth century.

Representing a large family of similar vehicles employed by every power throughout the Age of War, the weapons carrier is typically a tracked vehicle, capable of traversing a wide variety of terrain types, but mounts only enough armor to protect its crew from light counterattack. It is also a large, ungainly beast incapable of anything but moderate speeds. Rather than speed or armor, weapons carriers must site themselves in ambush positions and rely wholly upon a surprise mass attack from their numerous heavy weapons to protect them from enemy forces. Should they be outnumbered or flanked, they will likely be fodder, their crews lucky to escape with their lives.

On the other hand, weapons carriers are cheap and easy to produce "force multipliers" and are often fitted with weapons captured or stolen from the very enemies they will face in battle. Used as mobile gun

emplacements, area denial weapons and in shock attacks, they can easily be the tipping point in a battle, and can provide significant supporting fire to commanders who lack artillery or air support.

Type: **LRM/SRM/AC Carrier**

Technology Base: Inner Sphere

Movement Type: Tracked (Medium)

Equipment Rating: D/C-X-X/E

Mass: 55 tons

Equipment		Mass
Chassis/Controls:		8.5
Engine/Trans:		14
Type	ICE	
Cruising MP:	3	
Flank MP:	5	
Heat Sinks:	0	0
Fuel:	714 km	1
Turret:		0
Armor Factor (BAR 6):	78	3
	Internal Structure	Armor Value
Front:	6	22
R/L Side:	6/6	22/22
Rear:	6	12

Notes: All of these Carriers feature the following Design Quirks: Easy to Maintain, Low Profile, Fast Reload, Poor Performance, Obsolete/2580

AC/2 Carrier (Primitive)

Weapons and Ammo	Location	Tonnage
4 AC/2	Front	24
Ammo (AC) 90	Body	2
Advanced Fire Control	Body	2.5

Crew: 9 (2 officers, 1 enlisted/non-rated, 6 gunners)

Cargo:
None

LRM Carrier (Primitive)

Weapons and Ammo	Location	Tonnage
3 LRM 15	Front	21
Ammo (LRM) 40	Body	5
Advanced Fire Control	Body	2.5

Crew: 9 (2 officers, 1 enlisted/non-rated, 6 gunners)

Cargo:
None



SRM Carrier (Primitive)

Weapons and Ammo	Location	Tonnage
9 SRM 4	Front	18
Ammo (SRM) 200	Body	8
Advanced Fire Control	Body	2

Crew: 7 (1 officer, 1 enlisted/no-rated, 5 gunners)

Cargo:
None

Notes: Carries 1.5 tons of fuel (1,071 km total range)



MOSQUITO LIGHT FIGHTER

Field Testing Summation: Primitive Conventional Fighter

Producer/Site: AeroTech Industries, Andurien

Supervising Engineer: Guenther Hamm

Prototype Introduction Date: 2302

Non-Production Equipment Analysis:

Primitive Conventional Fighter

Overview

The late twenty-third century was a golden age for military industries across the Inner Sphere. While the five Great Houses slowly consolidated power to form their own interstellar nations, smaller powers throughout the Inner Sphere battled each other for possession of single worlds, many important only because a supposed enemy desired it. Of course, each of these powers needed a steady supply of military hardware to equip their armies and few were particular on who supplied that hardware.

AeroTech Industries was just one of hundreds of mid-sized concerns across the stars that supplied conventional military aircraft. Headquartered on beleaguered Andurien, the company had the dual benefits of witnessing firsthand the capabilities of its designs as well as a built-in customer base of defenders that desperately needed additional fighters. While the company built numerous different airframes, the Mosquito light fighter was, without a doubt, its best-selling and most popular offering.

Designed primarily as an interceptor, the Mosquito's designers used simple, proven engineering techniques that made the fighter inexpensive, easy to build and just as easy to maintain. The only "modern" concession made was the inclusion of a fusion power plant, giving the fighter the ability to carry more weapons and ordnance than other similar airframes. A single five-tube missile launcher and a pair of miniguns comprised the Mosquito's main armament, making it just as capable of taking down enemy fighters and bombers as providing close air support fire missions. A pair of hardpoints also gave operators the option of carrying additional ordnance or fuel, dependent upon mission requirements.

AeroTech Industries sold tens of thousands of Mosquitos to armies and militias throughout what are now the Capellan Confederation and Free Worlds League, additionally licensing it for production in almost a dozen other minor powers of the time. While the Mosquito is almost unknown today, its massive success led directly to the formation of one of the largest military suppliers in the Inner Sphere—by the end of the twenty-fourth century the company had merged with several other interstellar corporations to form Andurien AeroTech in the years just before the formation of the Star League.

Type: **Mosquito Light Fighter**

Technology Base: Inner Sphere

Movement Type: Fixed Wing (Medium)

Equipment Rating: D/D-X-X/E

Mass: 20 tons

Equipment

	Mass	
Chassis:	2	
Engine/Controls:	Fusion	8
Safe Thrust:	6	
Max Thrust:	9	
Structural Integrity:	6	
Heat Sinks:	0	0
Fuel:	150	3
Armor Factor (BAR 6):	24	1
	Armor	
	Value	
Nose:	9	
Wings:	6/6	
Aft:	3	


Weapons and Ammo	Location	Tonnage	Heat	SRV	MRV	LRV	ERV
LRM 5	Nose	2	0	3	3	3	—
Ammo (LRM) 24	—	1					
Machine Gun	RW	.5	0	2	—	—	—
Machine Gun	LW	.5	0	2	—	—	—
Ammo (MG) 200	—	1					
2 External Stores Hardpoints	—	.5					
Advanced Fire Control	—	.5					

Crew: 3 (2 enlisted/non-rated, 1 gunner)

Cargo:

None

Notes: Features the following Design Quirks: Atmospheric Flyer, Easy to Maintain, Obsolete/2510



ARES LANDING CRAFT

Field Testing Summation: Combat Landing Craft

Producer/Site: IncStar Dynamics

Supervising Engineer: Orastar Antonin

Prototype Introduction Date: 2438

Non-Production Equipment Analysis:

Primitive Landing Craft

Overview

The *Ares* Landing Craft evolved from a number of earlier designs to become the standard HAF orbit-to-surface combat transport in the twenty-fifth century, replacing designs that were simple cargo movers or which sacrificed cargo capacity for additional armor and self-defense weaponry. The only way these ships could hope to pierce a concerted enemy fighter screen was with sheer numbers—knowing full well that a loss of just twenty-five percent would be a “good” mission.

The *Ares* was born to correct those inadequacies while also delivering up to a sixty-five ton tank to the battlefield. Armed with two heavy long-range missile racks as well as both fore- and aft-facing lasers, the *Ares* could cut a swath through almost any conventional fighter screen. Moreover, after delivering their cargoes, the *Ares* landing craft could return to the skies to establish aerial superiority with their heavy arsenals, destroying opposing fighters and delivering powerful air-to-ground strikes against enemy positions. Following the success of the “Mark I” *Ares*, the HAF constructed a modified Mk. II “Close Attack Landing Craft” which traded cargo capacity for an additional array of three heavy lasers and extra fuel, assigning one or two of these per landing craft squadron to provide heavy support to landing operations. A third variant designed to directly engage enemy fighters—the Mk. III *Ares* Assault Craft—debuted a few years later; this model mounted a heavy laser in place of one of the nose-mounted medium lasers, along with additional heat sinks, a beefed up structure with heavier armor and sported a more powerful engine that provided nearly double the *Ares*’ normal maximum acceleration—all while still retaining enough cargo space to deliver up to two platoons of marines or infantry.

The *Ares* served for more than three centuries in various capacities within the HAF and the Star League nations, even after being operationally replaced in 2476 by a more advanced base frame (the newer Mk. IV/V/VI models were ten tons lighter and slightly smaller but nonetheless featured the same cargo capacity and armaments, and almost exactly the same armor profiles as the Mk. I/II/III). These new models were finally replaced by today’s common Mk. VII (and its sister-designs) after the fall of the Star League and the dawn of the Succession Wars.

Type: Military Aerodyne

Use: Armed Cargo Transport

Tech: Inner Sphere

Introduced: 2438

Dimensions

Length: 27 meters

Width: 24 meters

Fuel: 6 tons (480 points)

Safe Thrust: 3

Maximum Thrust: 5

Heat Sinks: 16

Structural Integrity: 6

Armor

Nose: 76

Sides: 75

Aft: 55

Cargo


Bay 1: Cargo (65 tons)

2 Doors

Crew: 3 enlisted/non-rated, 1 gunner

Notes: Equipped with 24 tons of primitive armor, all crew quarters assigned as Steerage-class (5 tons per crewman). Features the following Design Quirks: Atmospheric Flyer, Easy to Maintain, Obsolete/2476

Weapons and Ammo	Location	Tonnage	Heat	SRV	MRV	LRV	ERV
2 Medium Lasers	Nose	2	3	5	—	—	—
LRM 15	RW	7	5	9	9	9	—
LRM 15	LW	7	5	9	9	9	—
Ammo (LRM) 32	—	4	—	—	—	—	—
2 Medium Lasers	Aft	2	3	5	—	—	—



EXPERIMENTAL

BLACK EAGLE DROPSHIP

Field Testing Summation: Primitive Military DropShip

Producer/Site: Mikoyan Aerospace Consortium, Terra

Supervising Engineer: Hans Sulimar

Prototype Introduction Date: 2453

Non-Production Equipment Analysis:

Primitive DropShip

Overview

The employment of the BattleMech in combat during the first half of the twenty-fifth century forced the Terran Hegemony to develop new battlefield tactics and new logistical methods to effectively employ this new weapon. Of critical importance was a way to transport these behemoths to and from battlefields on distant worlds. While a *Mackie* could walk under its own power onto the cargo deck of the largest of spheroid DropShips and then be secured, the loading and unloading process was extremely time consuming—certainly not conducive to surprise strikes. Worse still, while the 'Mech could be carried by many of the numerous aerodyne cargo ships in existence, they could only be loaded while laying on their backs (typically on a flatbed trailer), requiring even more precious time to offload and then right the 'Mech for start-up.

Many different extant DropShip designs were considered for transformation into the first true BattleMech carriers. The *Manatee* was the first ship so modified and employed a unique cubicle structure that a 'Mech could easily enter and exit under its own power. These cubicles, which included integral hardpoints that could keep a standing 'Mech secure under high-G maneuvers, could even be used to repair and rearm the 'Mech. Unfortunately, the *Manatee* could only carry a single lance of BattleMechs, far too few to support major combat operations.

The *Black Eagle*, on the other hand, represented a far more ideal carrier. Originally constructed as a military transport, it featured a strengthened structure and heavy armor, along with a powerful self-defense arsenal. The base design featured three cargo decks that could carry either a battalion of light armor or more than a company of heavy armor, along with sufficient consumables to supply that armor through the first stages of an invasion. While the *Mackie* could not stand upright on any one of those decks, the *Black Eagle* could be constructed without the mid-deck, creating more than enough room for twelve of the behemoths and their transit cubicles.

Though the transport of entire BattleMech battalions was still left to large bulk cargo ships, the HAF began to assign *Black Eagles* to its primary assault companies, units that would quickly secure a spaceport or landing zone where the lengthy disembarkation process could happen. Of course, the *Black Eagle* became the standard for BattleMech assault carriers, ultimately spawning the *Lion* and later the *Union*. So successful was the *Black Eagle* design that the HAF also reworked it into the slightly lighter but much faster and heavily armed *Pentagon* assault ship in the mid-twenty-sixth century.

Type: Military Spheroid

Use: 'Mech Carrier

Tech: Inner Sphere

Introduced: 2458

Mass: 4,500 tons

Dimensions

Length: 77 meters

Width: 77 meters

Height: 90 meters

Fuel: 250 tons (7,500 points)

Tons/Burn-Day: 1.84

Safe Thrust: 4

Maximum Thrust: 6

Heat Sinks: 156

Structural Integrity: 16

Armor

Nose: 191

Sides: 171

Aft: 120

Cargo

Bay 1: BattleMechs (12)

2 Doors

Bay 2: Cargo (540 tons)

2 Doors


Life Boats: 1

Escape Pods: 8

Crew: 5 officers, 14 enlisted/non-rated, 9 gunners, 24 bay personnel

Ammunition: 144 rounds LRM 20 Ammo (24 tons)

Notes: Equipped with 55 tons of primitive armor. Features the following Design Quirks: Easy to Maintain, Obsolete/2545



Weapons/Capital Attack Values (Standard)

Arc (Heat)	Type	Heat	Short	Medium	Long	Extreme	Class
Nose (28 heat)							
2 LRM 20		12	2 (24)	2 (24)	2 (24)	—	LRM
(36 rounds)							
2 Large Lasers		16	2 (16)	2 (16)	—	—	Laser
FR/FL (28 heat)							
2 LRM 20		12	2 (24)	2 (24)	2 (24)	—	LRM
(36 rounds)							
2 Large Lasers		16	2 (16)	2 (16)	—	—	Laser
AR/AL (26 heat)							
LRM 20 (18 rounds)		6	1 (12)	1 (12)	1 (12)	—	LRM
Large Laser		8	3 (28)	1 (8)	—	—	Laser
4 Medium Lasers		12					
Aft (20 heat)							
Large Laser		8	3 (28)	1 (8)	—	—	Laser
4 Medium Lasers		12					

ADDITIONAL GAME RULES

INCOMING
MESSAGE

SEND

SAVE

CANCEL

DELETE

This *Experimental Technical Readout* incorporates a few new and expanded rules to better cover certain technologies that existed at this point in the Age of War, but received little attention prior to this volume. These rules build on those found in *TechManual (TM)*, *Tactical Operations (TO)*, *Strategic Operations (SO)*, and the special Primitive Tech construction rules found in *Jihad Secrets: The Blake Documents*.

Prototype Jump Jets

Standard production model jump jets (along with their required BattleMech gyroscope modifications and control software upgrades) debuted in 2471 within the Terran Hegemony (later, in each of the other Inner Sphere and Periphery nations). Prototype jump jet models were introduced in 2464 with the debut of the *Wasp* BattleMech (prototype jump jets were later included in the *BattleAxe* and the *Shadow Hawk*).

While prototype jump jets have the same mass and take up the same critical space as standard jump jets, their use was problematic and induced instability within the jumping BattleMech. These problems were later cleared up within the production model jump jets.

Any BattleMech mounting prototype jump jets that jumps must make a Piloting Skill Roll with a TN of +3 (in addition to any other modifiers) to avoid falling when it lands (see *Piloting/Driving Skill Rolls*, p. 59, *TW*).

Prototype PPC

While the Terran Hegemony did not “perfect” the design and manufacture of the particle projection cannon until 2460, the Hegemony utilized PPCs on designs such as the *Mackie* and the *Banshee* BattleMechs for more than two decades before advances in miniaturization and manufacturing processes allowed the debut of the “standard” model PPC.

A Prototype PPC follows the standard rules for the PPC, but costs five times as much (1,000,000 C-Bills).

Primitive Aerospace Unit Construction

Primitive aerospace fighters, small craft and DropShips are built using the standard Aerospace Unit Construction rules (see pp. 180-199, *TM*), with the changes described below (based on Primitive BattleMech Construction rules found in *Jihad Secrets: The Blake Documents*). All of these aerospace units designed and constructed prior to the introduction of “modern” technology in each of the major Inner Sphere and Periphery powers will adhere to these construction rules.

Primitive Aerospace Fighter Construction

The primitive aerospace fighters shown in this *Experimental Tech Readout* are constructed using the rules found on p. 146 of *Jihad Secrets: The Blake Documents*.

Primitive Small Craft and DropShip Construction

The primitive small craft and DropShips shown in this *Experimental Tech Readout* are constructed using the standard rules found in *TechManual*, but employ armor identical to the armor used by primitive BattleMechs (see p. 145, *The Blake Documents*), which is mounted using the standard limits for small craft and DropShips (see pp. 190-191, *TM*).

Introduction of “Modern” Tech

“Modern” technology—which utilizes the standard construction rules for BattleMechs, combat vehicles and aerospace units as found in the *Tech Manual*—debuted in each of the major Inner Sphere and Periphery powers in the years listed below.

Year	Realm
2470	Terran Hegemony
2475	Federated Suns and Lyran Commonwealth
2487	Draconis Combine
2501	Free Worlds League
2503	Rim Worlds Republic
2504	Capellan Confederation
2505	Taurian Concordat

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Wasp WSP-1

Movement Points:

Walking: 5

Running: 8

Jumping: 5

Tonnage: 20

Tech Base: Inner Sphere
(Primitive)

Era: Star League

Weapons & Equipment Inventory (hexes)


Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	RA	3	5 [DE]	—	3	6	9

WARRIOR DATA


Name: _____

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Heat Sink
- Heat Sink
- Heat Sink
- Prototype Jump Jet
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Prototype Jump Jet
- Roll Again

Head

- Life Support
- Sensors
- Primitive Cockpit
- Sensors
- Life Support
- Roll Again

Center Torso

- Primitive Fusion Engine
- Primitive Fusion Engine
- Primitive Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

- Gyro
- Primitive Fusion Engine
- Primitive Fusion Engine
- Prototype Jump Jet
- Roll Again


4-6

Engine Hits ○○○

Gyro Hits ○○

Sensor Hits ○○

Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Medium Laser
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- Heat Sink
- Heat Sink
- Heat Sink
- Prototype Jump Jet
- Roll Again
- Roll Again

1-3


- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Prototype Jump Jet
- Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	○
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Icarus ICR-1X

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Tonnage: 40

Tech Base: Inner Sphere
(Primitive)

Era: Star League

Weapons & Equipment Inventory (hexes)


Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	SRM 2	LT	2	2 [M.C.S.]	—	3	6	9
2	Machine Gun	RA	0	2 [D.B.A.I.]	—	1	2	3
1	Large Laser	LA	8	8 [D.E.]	—	5	10	15
1	Small Laser	LA	1	3 [D.E.]	—	1	2	3

WARRIOR DATA


Name: _____

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Large Laser
- Small Laser

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- SRM 2
- SRM 2
- Ammo (SRM 2) 50
- Roll Again
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Roll Again

Head

- Life Support
- Sensors
- Primitive Cockpit
- Heat Sink
- Sensors
- Life Support

1-3

Center Torso

- Primitive Fusion Engine
- Primitive Fusion Engine
- Primitive Fusion Engine
- Gyro
- Gyro
- Gyro

4-6


- Gyro
- Primitive Fusion Engine
- Primitive Fusion Engine
- Primitive Fusion Engine
- Roll Again
- Roll Again

Engine Hits ○○○

Gyro Hits ○○

Sensor Hits ○○

Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Machine Gun
- Machine Gun

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- Ammo (Machine Gun) 200
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

1-3


- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 [10] Single
30	Shutdown	○
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: **Gladiator GLD-1R**

Movement Points: **Tonnage:** 55
Walking: 4 **Tech Base:** Inner Sphere
Running: 6 (Primitive)
Jumping: 0 **Era:** Star League

Weapons & Equipment Inventory (hexes)


Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

WARRIOR DATA


Name: _____

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Medium Laser

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

Left Torso

- Heat Sink
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Roll Again

Head

- Life Support
- Sensors
- Primitive Cockpit
- Sensors
- Life Support
- Roll Again

Center Torso

- Primitive Fusion Engine
- Primitive Fusion Engine
- Primitive Fusion Engine
- Gyro
- Gyro
- Gyro

- Gyro
- Primitive Fusion Engine
- Primitive Fusion Engine
- Primitive Fusion Engine
- Roll Again
- Roll Again

Engine Hits ○○○
 Gyro Hits ○○
 Sensor Hits ○○
 Life Support ○

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Large Laser
- Large Laser

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again


Right Torso

- Heat Sink
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again


Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Roll Again



CATALYST
 game labs

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 [14]
30	Shutdown	Single
28	Ammo Exp. avoid on 8+	○ ○
26	Shutdown, avoid on 10+	○ ○
25	-5 Movement Points	○ ○
24	+4 Modifier to Fire	○ ○
23	Ammo Exp. avoid on 6+	○ ○
22	Shutdown, avoid on 8+	○ ○
20	-4 Movement Points	○ ○
19	Ammo Exp. avoid on 4+	○ ○
18	Shutdown, avoid on 6+	○ ○
17	+3 Modifier to Fire	○ ○
15	-3 Movement Points	○ ○
14	Shutdown, avoid on 4+	○ ○
13	+2 Modifier to Fire	○ ○
10	-2 Movement Points	○ ○
8	+1 Modifier to Fire	○ ○
5	-1 Movement Points	○ ○

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: **Crossbow CRS-X**


Movement Points: Tonnage: 60
Walking: 4 Tech Base: Inner Sphere
Running: 6 (Primitive)
Jumping: 0 Era: Star League

Weapons & Equipment Inventory (hexes)


Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Large Laser	RT	8	8 [DE]	—	5	10	15
2	LRM 5	RA	2	1/Msl [M.C.S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	LRM 5	LA	2	1/Msl [M.C.S]	6	7	14	21
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

WARRIOR DATA

Name: _____
Gunnery Skill: _____ Piloting Skill: _____
Hits Taken: 1 2 3 4 5 6
Consciousness# 3 5 7 10 11 Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- 1-3 Medium Laser
- LRM 5
- LRM 5

- 1 Ammo [LRM 5] 24
- 2 Roll Again
- 3 Roll Again
- 4 Roll Again
- 5 Roll Again
- 6 Roll Again

Left Torso

- Roll Again
- Roll Again
- Roll Again
- 1-3 Roll Again
- Roll Again
- Roll Again

- Roll Again
- Roll Again
- Roll Again
- 4-6 Roll Again
- Roll Again
- Roll Again

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

Head


- Life Support
- Sensors
- Primitive Industrial Cockpit
- Sensors
- Life Support
- Roll Again

Center Torso

- 1 Primitive Fusion Engine
- 2 Primitive Fusion Engine
- 3 Primitive Fusion Engine
- 1-3 4 Gyro
- 5 Gyro
- 6 Gyro

- 1 Gyro
- 2 Primitive Fusion Engine
- 3 Primitive Fusion Engine
- 4 Primitive Fusion Engine
- 5 Roll Again
- 4-6 6 Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- 1-3 Medium Laser
- LRM 5
- LRM 5

- 1 Ammo [LRM 5] 24
- 2 Roll Again
- 3 Roll Again
- 4 Roll Again
- 5 Roll Again
- 6 Roll Again

Right Torso


- 1 Large Laser
- 2 Large Laser
- Roll Again
- 1-3 Roll Again
- Roll Again
- Roll Again

- Roll Again
- Roll Again
- Roll Again
- 4-6 Roll Again
- Roll Again
- Roll Again

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 [10] Single
30	Shutdown	○
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

Heat Scale
Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: **BattleAxe BKX-1X**


Movement Points: Tonnage: 70
Walking: 3 Tech Base: Inner Sphere
Running: 5 (Primitive)
Jumping: 0 Era: Star League

Weapons & Equipment Inventory (hexes)


Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Machine Gun	HD	0	2	—	1	2	3
				[DB, AI]				
1	Machine Gun	CT	0	2	—	1	2	3
				[DB, AI]				
1	LRM 5	RT	2	1/Msl	6	7	14	21
				[M, C, S]				
1	SRM 6	RT	4	2/Msl	—	3	6	9
				[M, C, S]				
1	LRM 5	LT	2	1/Msl	6	7	14	21
				[M, C, S]				
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15

WARRIOR DATA

Name: _____
Gunnery Skill: _____ Piloting Skill: _____
Hits Taken: 1 2 3 4 5 6
Consciousness# 3 5 7 10 11 Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Heat Sink
- Heat Sink
- Large Laser

- Large Laser
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

Left Torso

- Heat Sink
- Heat Sink
- LRM 5
- Ammo (LRM 5) 24
- Ammo (Machine Gun) 100
- Roll Again

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

Head

- Life Support
- Sensors
- Primitive Cockpit
- Machine Gun
- Sensors
- Life Support

Center Torso

- Primitive Fusion Engine
- Primitive Fusion Engine
- Primitive Fusion Engine
- Gyro
- Gyro
- Gyro

- Gyro
- Primitive Fusion Engine
- Primitive Fusion Engine
- Primitive Fusion Engine
- Heat Sink
- Machine Gun

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Heat Sink
- Heat Sink
- Large Laser

- Large Laser
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again


Right Torso

- Heat Sink
- SRM 6
- SRM 6
- LRM 5
- Ammo (SRM 6) 15
- Roll Again

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again


Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again



CATALYST
game labs

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 18 (18)
30	Shutdown	Single
28	Ammo Exp. avoid on 8+	○ ○
26	Shutdown, avoid on 10+	○ ○
25	-5 Movement Points	○ ○
24	+4 Modifier to Fire	○ ○
23	Ammo Exp. avoid on 6+	○ ○
22	Shutdown, avoid on 8+	○ ○
20	-4 Movement Points	○ ○
19	Ammo Exp. avoid on 4+	○ ○
18	Shutdown, avoid on 6+	○ ○
17	+3 Modifier to Fire	○ ○
15	-3 Movement Points	○ ○
14	Shutdown, avoid on 4+	○ ○
13	+2 Modifier to Fire	○ ○
10	-2 Movement Points	○ ○
8	+1 Modifier to Fire	○ ○
5	-1 Movement Points	○ ○

Heat Scale
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Banshee BNC-1E

Movement Points:

Walking: 3

Running: 5

Jumping: 0

Tonnage: 95

Tech Base: Inner Sphere

(Primitive)

Era: Star League

WARRIOR DATA


Name: _____

Gunnery Skill: _____ Piloting Skill: _____


Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
2	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	AC/5	LT	1	5 [DB,S]	3	6	12	18



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Roll Again
- Roll Again

Head

- Life Support
- Sensors
- Primitive Cockpit
- Small Laser
- Sensors
- Life Support

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Roll Again
- Roll Again

Center Torso

- Primitive Fusion Engine
- Primitive Fusion Engine
- Primitive Fusion Engine
- Gyro
- Gyro
- Gyro

Right Torso

- PPC
- PPC
- PPC
- Roll Again
- Roll Again
- Roll Again

Left Torso


- Heat Sink
- AC/5
- AC/5
- AC/5
- AC/5
- Ammo (AC/5) 20

Engine Hits ○○○

Gyro Hits ○○

Sensor Hits ○○

Life Support ○



Damage Transfer Diagram


Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Roll Again

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 [16]
30	Shutdown	Single
28	Ammo Exp. avoid on 8+	○ ○
26	Shutdown, avoid on 10+	○ ○
25	-5 Movement Points	○ ○
24	+4 Modifier to Fire	○ ○
23	Ammo Exp. avoid on 6+	○ ○
22	Shutdown, avoid on 8+	○ ○
20	-4 Movement Points	○ ○
19	Ammo Exp. avoid on 4+	○ ○
18	Shutdown, avoid on 6+	○ ○
17	+3 Modifier to Fire	○ ○
15	-3 Movement Points	○ ○
14	Shutdown, avoid on 4+	○ ○
13	+2 Modifier to Fire	○ ○
10	-2 Movement Points	○ ○
8	+1 Modifier to Fire	○ ○
5	-1 Movement Points	○ ○

Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

BATTLETECH™

Support V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Strike Falcon Attack VTOL

Movement Points: **Cruising:** 7 **Flank:** 11 **Engine Type:** I.C.E.
Tonnage: 30 **Tech Base:** Inner Sphere **Era:** Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Advanced Fire Control	BD	[E]	—	—	—	—
1	Machine Gun	FR	2	—	1	2	3
			[DB, AI]				
2	SRM 4	FR	2 / Msl	—	3	6	9
			[M, C, S]				
1	Machine Gun	RS	2	—	1	2	3
			[DB, AI]				
1	Machine Gun	LS	2	—	1	2	3
			[DB, AI]				

Cargo, Infantry (6 tons)

Ammo: [SRM 4] 25, [Machine Gun] 100

CREW DATA

Crew: _____
Gunnery Skill: _____ **Driving Skill:** _____
 Co-Pilot Hit **+1** Pilot Hit **+2**
 Modifier to all To-Hit rolls Modifier to Driving Skill rolls


CRITICAL DAMAGE

Flight Stabilizer* **+3** Engine Hit ☐
 Sensor Hits **+1 +2 +3** ☐
 Stabilizers
 Front ☐ Left ☐ Right ☐ Rear ☐
 *Move at Cruising speed only



ARMOR DIAGRAM

BAR: 7



© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	FRONT	SIDE	REAR	ROTORS
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.

**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Randolph Support Vehicle

Movement Points: Tonnage: 35
 Cruising: 4 Tech Base: Inner Sphere
 Flank: 6 Era: Star League
 Movement Type: Tracked
 Engine Type: I.C.E.

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Basic Fire Control	BD	[E]	—	—	—	—
1	Machine Gun	FR	2 [DB, AI]	—	1	2	3
1	Machine Gun	RS	2 [DB, AI]	—	1	2	3
1	Machine Gun	LS	2 [DB, AI]	—	1	2	3

Cargo Space - 9 tons
 Chassis Modifications: Tractor


Ammo: [Machine Gun] 100

CREW DATA


Crew: _____
 Gunnery Skill: _____ Driving Skill: _____
 Commander Hit **+1** Driver Hit **+2**
 Modifier to all Skill rolls Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
 Sensor Hits **+1 +2 +3** **D**
 Motive System Hits **+1 +2 +3**
 Stabilizers
 Front ☐ Left ☐ Right ☐
 Rear ☐



ARMOR DIAGRAM



© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
 Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.

†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at night (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.

§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2-5	No effect
6-7	Minor damage; +1 modifier to all Driving Skill Rolls
8-9	Moderate damage; -1 Cruising MP, +2 modifier to all Driving Skill Rolls
10-11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WICE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the -4 immobile target modifier would not apply for the second unit. However, the -4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	FRONT	SIDE	REAR	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.

**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
 Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Hover Tank

Movement Points:

Cruising: 7

Flank: 11

Movement Type: Hover

Engine Type: I.C.E.

Tonnage: 50

Tech Base: Inner Sphere

Era: Star League

CREW DATA

Crew: _____

Gunnery Skill: _____ Driving Skill: _____

Commander Hit **+1**

Modifier to all Skill rolls

Driver Hit **+2**

Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits **+1 +2 +3** **D**

Motive System Hits **+1 +2 +3**

Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐ Turret ☐



Ammo: [SRM 4] 25

ARMOR DIAGRAM

Front Armor
(24)

(16)

Left Side Armor

Turret Armor
(16)

Right Side Armor
(16)

Rear Armor
(16)



© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

	ATTACK DIRECTION		
2D6 Roll	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret, if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.

†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.

§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2-5	No effect
6-7	Minor damage; +1 modifier to all Driving Skill Rolls
8-9	Moderate damage; -1 Cruising MP, +2 modifier to all Driving Skill Rolls
10-11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WICE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the -4 immobile target modifier would not apply for the second unit. However, the -4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

	LOCATION HIT			
2D6 Roll	FRONT	SIDE	REAR	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.

**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

ARMOR DIAGRAM

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: AC/2 Carrier (Primitive)

Movement Points: Tonnage: 55
 Cruising: 3 Tech Base: Inner Sphere
 Flank: 5 Era: Star League
 Movement Type: Tracked
 Engine Type: I.C.E.

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Advanced Fire Control	BD	[E]	—	—	—	—
4	AC/2	FR	2 [DB,S]	4	8	16	24



Ammo: [AC/2] 90

CREW DATA

Crew: _____
 Gunnery Skill: _____ Driving Skill: _____
 Commander Hit **+1** Driver Hit **+2**
 Modifier to all Skill rolls Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
 Sensor Hits **+1 +2 +3** **D**
 Motive System Hits **+1 +2 +3**
 Stabilizers
 Front ☐ Left ☐ Right ☐
 Rear ☐



© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION		
	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.

†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.

§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2-5	No effect
6-7	Minor damage; +1 modifier to all Driving Skill Rolls
8-9	Moderate damage; -1 Cruising MP, +2 modifier to all Driving Skill Rolls
10-11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WICE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the -4 immobile target modifier would not apply for the second unit. However, the -4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT			
	FRONT	SIDE	REAR	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.

**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

ARMOR DIAGRAM

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: LRM Carrier (Primitive)

Movement Points: Tonnage: 55
Cruising: 3 Tech Base: Inner Sphere
Flank: 5 Era: Star League
Movement Type: Tracked
Engine Type: I.C.E.

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Advanced Fire Control	BD	[E]	—	—	—	—
3	LRM 15	FR	1/Msl [M.C.S]	6	7	14	21


Ammo: (LRM 15) 40

CREW DATA


Crew: _____
Gunnery Skill: _____ Driving Skill: _____
Commander Hit **+1** Driver Hit **+2**
Modifier to all Skill rolls Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits **+1 +2 +3** **D**
Motive System Hits **+1 +2 +3**
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐



BAR: 6 Front Armor (22)



Rear Armor (12)



© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION		
	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.

†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.

§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2-5	No effect
6-7	Minor damage; +1 modifier to all Driving Skill Rolls
8-9	Moderate damage; -1 Cruising MP, +2 modifier to all Driving Skill Rolls
10-11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WICE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the -4 immobile target modifier would not apply for the second unit. However, the -4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT			
	FRONT	SIDE	REAR	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.

**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

ARMOR DIAGRAM

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: SRM Carrier (Primitive)

Movement Points: Tonnage: 55
Cruising: 3 Tech Base: Inner Sphere
Flank: 5 Era: Star League
Movement Type: Tracked
Engine Type: I.C.E.

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Advanced Fire Control	BD	[E]	—	—	—	—
9	SRM 4	FR	2/Msl [M.C.S.]	—	3	6	9



Ammo: [SRM 4] 200

CREW DATA

Crew: _____
Gunnery Skill: _____ Driving Skill: _____
Commander Hit **+1** Driver Hit **+2**
Modifier to all Skill rolls Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits **+1 +2 +3** **D**
Motive System Hits **+1 +2 +3**
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐



© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION		
	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.

†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.

§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2-5	No effect
6-7	Minor damage; +1 modifier to all Driving Skill Rolls
8-9	Moderate damage; -1 Cruising MP, +2 modifier to all Driving Skill Rolls
10-11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WICE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the -4 immobile target modifier would not apply for the second unit. However, the -4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT			
	FRONT	SIDE	REAR	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.

**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2012 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

FIXED WING SUPPORT VEHICLE RECORD SHEET

FIGHTER DATA

Type: Mosquito Light Fighter

Thrust: Tonnage: 20
 Safe Thrust: 6 Tech Base: Inner Sphere
 Maximum Thrust: 9 Era: Star League

Weapons & Equipment Inventory

Qty	Type	Loc.	Ht	SRV	MRV	LRV	ERV
1	LRM 5 [M,C,S]	N	0	3	3	3	—
1	Machine Gun [DB,AI]	LW	0	2	—	—	—
1	Machine Gun [DB,AI]	RW	0	2	—	—	—
1	Advanced Fire Control [E]	BD	0	—	—	—	—
2	External Stores Hardpoint [E]	BD	0	—	—	—	—

Ammo: [LRM 5] 24, [Machine Gun] 100
 Fuel: 150 Points

ARMOR DIAGRAM

BAR: 6

Nose Damage Threshold (Total Armor) 1 (9)


Left Wing Damage Threshold (Total Armor) 1 (6)

Right Wing Damage Threshold (Total Armor) 1 (6)


Structural Integrity: 6

Aft Damage Threshold (Total Armor) 1 (3)

EXTERNAL STORES/BOMBS



Key:-
 HE - High Explosive
 LG - Laser Guided
 C - Cluster
 RL - Rocket Launcher



CRITICAL DAMAGE

Avionics +1 +2 +5 Engine 2 4 D
 FCS +2 +4 D Gear +5
 Sensors +1 +2 +5 Life Support +2

PILOT DATA

Name: _____
 Gunnery Skill: _____ Piloting Skill: _____
 Hits Taken 1 2 3 4 5 6
 Consciousness # 3 5 7 10 11 Dead
 Modifier +1 +2 +3 +4 +5

GROUND MAP STRAIGHT MOVEMENT

MINIMUM STRAIGHT MOVEMENT (IN HEXES)		
VELOCITY	FIGHTER	SMALL CRAFT AND FIXED WING SUPPORT VEHICLES
1	8	8
2	12	14
3	16	20
4	20	26
5	24	32
6	28	38
7	32	44
8	36	50
9	40	56
10	44	62
11	48	68
12	52	74

Velocity above 12 is not possible on ground maps.

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

FIGHTER RETURN TABLE

SAFE THRUST	TURNS BEFORE RETURN
1-4	3
5-8	2
9-12	1
13+	0

BATTLETECH

ARMOR DIAGRAM

Standard Scale



AERODYNE SMALL CRAFT RECORD SHEET

CRAFT DATA

Type: Mk. I Ares Landing Craft



Thrust: Tonnage: 200
 Safe Thrust: 3 Tech Base: Inner Sphere
 Maximum Thrust: 5 Era: Star League

Weapons & Equipment Inventory

Qty	Type	Loc.	Ht	SRV	MRV	LRV	ERV
2	Medium Laser [DE]	N	0	5	—	—	—
1	LRM 15 [M.C.S]	LW	0	9	9	9	—
1	LRM 15 [M.C.S]	RW	0	9	9	9	—
2	Medium Laser [DE]	A	0	5	—	—	—

Cargo:
 Cargo Space - 65 tons (2 doors)

Ammo: [LRM 15] 32
 Fuel: 480 Points



Heat Scale

Overflow

30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	16 (16)
28	Ammo Exp. avoid on 8+	Single
27	Pilot Damage, avoid on 9+	0 0
26	Shutdown, avoid on 10+	0 0
25	Random Movement, avoid on 10+	0 0
24	+4 Modifier to Fire	0 0
23	Ammo Exp. avoid on 6+	0 0
22	Shutdown, avoid on 8+	0
21	Pilot Damage, avoid on 6+	0 0
20	Random Movement, avoid on 8+	0
19	Ammo Exp. avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										
Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

BATTLETECH

ARMOR DIAGRAM

Standard Scale



AERODYNE SMALL CRAFT RECORD SHEET

CRAFT DATA

Type: Mk. II Ares Close Assault Landing Craft


Thrust: Tonnage: 200
 Safe Thrust: 3 Tech Base: Inner Sphere
 Maximum Thrust: 5 Era: Star League

Weapons & Equipment Inventory

Qty	Type	Loc.	Ht	SRV	MRV	LRV	ERV
1	Large Laser [DE]	N	0	8	8	—	—
2	Medium Laser [DE]	N	0	5	—	—	—
1	Large Laser [DE]	LW	0	8	8	—	—
1	LRM 15 [M.C.S]	LW	0	9	9	9	—
1	Large Laser [DE]	RW	0	8	8	—	—
1	LRM 15 [M.C.S]	RW	0	9	9	9	—
2	Medium Laser [DE]	A	0	5	—	—	—

Cargo:
 Cargo Space - 15 tons (2 doors)

Ammo: [LRM 15] 32
 Fuel: 720 Points



Left Wing
 Damage
 Threshold
 (Total Armor)
 8 [75]

Nose
 Damage Threshold
 (Total Armor)
 8 [76]

Right Wing
 Damage
 Threshold
 (Total Armor)
 8 [75]

Structural
 Integrity:
 6

Aft
 Damage
 Threshold
 (Total Armor)
 6 [55]

Heat
 Scale

Overflow

30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics [1] [2] [5] Engine [2] [4] [D]
 FCS [2] [4] [D] Gear [5]
 Sensors [1] [2] [5] Life Support [2]

PILOT DATA

Name: _____
 Gunnery Skill: _____ Piloting Skill: _____
 Hits Taken
 Consciousness #
 Modifier

1	2	3	4	5	6
3	5	7	10	11	Dead
+1	+2	+3	+4	+5	

HEAT DATA

Heat Level* Effects Heat Sinks:
 30 Shutdown 38 (38)
 28 Ammo Exp. avoid on 8+ Single
 27 Pilot Damage, avoid on 9+ 0 0 0 0
 26 Shutdown, avoid on 10+ 0 0 0 0
 25 Random Movement, avoid on 10+ 0 0 0 0
 24 +4 Modifier to Fire 0 0 0 0
 23 Ammo Exp. avoid on 6+ 0 0 0 0
 22 Shutdown, avoid on 8+ 0 0 0 0
 21 Pilot Damage, avoid on 6+ 0 0 0 0
 20 Random Movement, avoid on 8+ 0 0 0
 19 Ammo Exp. avoid on 4+ 0 0 0
 18 Shutdown, avoid on 6+ 0 0 0
 17 +3 Modifier to Fire 0 0 0
 15 Random Movement, avoid on 7+ 0 0 0
 14 Shutdown, avoid on 4+ 0 0 0
 13 +2 Modifier to Fire 0 0 0
 10 Random Movement, avoid on 6+ 0 0 0
 8 +1 Modifier to Fire 0 0 0
 5 Random Movement, avoid on 5+ 0 0 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

BATTLETECH

ARMOR DIAGRAM

Standard Scale

AERODYNE SMALL CRAFT RECORD SHEET

CRAFT DATA

Type: Mk. III Ares Assault Craft



Thrust: Tonnage: 200
 Safe Thrust: 3 Tech Base: Inner Sphere
 Maximum Thrust: 5 Era: Star League

Weapons & Equipment Inventory

Qty	Type	Loc.	Ht	SRV	MRV	LRV	ERV
1	Large Laser [DE]	N	0	8	8	—	—
1	Medium Laser [DE]	N	0	5	—	—	—
1	LRM 15 [M.C.S]	LW	0	9	9	9	—
1	LRM 15 [M.C.S]	RW	0	9	9	9	—
2	Medium Laser [DE]	A	0	5	—	—	—

Cargo:
 Infantry - 2 platoons (1 door)

Ammo: [LRM 15] 32
 Fuel: 640 Points



Heat
 Scale

Overflow

30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										
Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	20 (20)
28	Ammo Exp. avoid on 8+	Single
27	Pilot Damage, avoid on 9+	0 0
26	Shutdown, avoid on 10+	0 0
25	Random Movement, avoid on 10+	0 0
24	+4 Modifier to Fire	0 0
23	Ammo Exp. avoid on 6+	0 0
22	Shutdown, avoid on 8+	0 0
21	Pilot Damage, avoid on 6+	0 0
20	Random Movement, avoid on 8+	0 0
19	Ammo Exp. avoid on 4+	0 0
18	Shutdown, avoid on 6+	0 0
17	+3 Modifier to Fire	0 0
15	Random Movement, avoid on 7+	0 0
14	Shutdown, avoid on 4+	0 0
13	+2 Modifier to Fire	0 0
10	Random Movement, avoid on 6+	0 0
8	+1 Modifier to Fire	0 0
5	Random Movement, avoid on 5+	0 0

BATTLETECH



Nose Damage
Threshold
(Total Armor)
20 (191)

ARMOR DIAGRAM

Standard Scale

SPHEROID DROPSHIP RECORD SHEET

DROPSHIP DATA

Type: Black Eagle

Name: Tonnage: 4500
Thrust: Tech Base: Inner Sphere
Safe Thrust: 4 Era: Star League
Maximum Thrust: 6
Fighters/Small Craft: 0 / 0 Launch Rate: 0 / 0

Weapons & Equipment Inventory



Standard Scale				(1-6)	(7-12)	(13-20)	(21-25)
Bay	Loc	Ht	SRV	MRV	LRV	ERV	
2 Large Laser	N	16	1 (16)	1 (16)	—	—	
2 LRM 20	N	12	2 (24)	2 (24)	2 (24)	—	
[36 misl]							
2 Large Laser	FL/FR	16	1 (16)	1 (16)	—	—	
2 LRM 20	FL/FR	12	2 (24)	2 (24)	2 (24)	—	
[36 misl]							
1 LRM 20	AL/AR	6	1 (12)	1 (12)	1 (12)	—	
[18 misl]							
1 Large Laser	AL/AR	8	0 (8)	0 (8)	—	—	
4 Medium Laser	AL/AR	12	2 (20)	—	—	—	
1 Large Laser	A	8	0 (8)	0 (8)	—	—	
4 Medium Laser	A	12	2 (20)	—	—	—	

Cargo:

Mech - 12 units (2 doors)
Cargo Space - 540 tons (2 doors)

Left Damage
Threshold
(Total Armor)
18 (171)

Right Damage
Threshold
(Total Armor)
18 (171)



CREW DATA

Gunnery Skill: _____ Piloting Skill: _____

Hits Taken	1	2	3	4	5	6
Modifier	+1	+2	+3	+4	+5	Incp.

Crew: 52 Marines: 0
Passengers: 0 Battle Armor: 0
Other: 0 Life Boats/Escapes Pods: 1/8

CRITICAL DAMAGE

Avionics	+1	+2	+5	Gear	+5	
FCS	+2	+4	D	Life Support	+2	
Sensors	+1	+2	+5	K-F Boom	D	
Thrusters				Docking Collar	D	
Left	+1	+2	+3	D		
Right	+1	+2	+3	D		
Engine	-1	-2	-3	-4	-5	D

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										
Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

HEAT DATA

Heat Sinks: 156 (156)
Single

Heat Generation Per Arc

Nose:	28	Aft:	20
Fore-Left:	28	Aft-Left:	26
Fore-Right:	28	Aft-Right:	26